


## Smart Indoor Security Camera IC-3210W



**2-Way Audio**  
See, hear and speak



**Night Vision**  
See everything  
day & night



**Battery Powered**  
No cables  
required



**Smart Edilife**  
One App for  
everything



**Easy Installation**  
Quickly self-  
installed in a few  
steps



**Flexible Storage  
Options**  
Offers options for  
saving recordings

## Smart Indoor Security Camera

### Record Your Life Anytime, Anywhere

The IC-3210W is an indoor security camera featuring two-way audio, sound-detection with video alerts, and enhanced night vision so you can capture precious moments from every angle in better detail. You can soothe your little one through the camera and see and talk back at any time, whether you're in the next room or on the other side of the world.



### For Sweet Home Security and Safety



### Track Activity with Wired Power

The IC-3210W provides wired USB power with adjustable stand holder for tracking your home activity.



### Wired-to-Wireless DIY Home Security

To help you build more efficient and convenient home security, the IC-3210W provides the combination of wired USB power with adjustable stand holder or 100% wireless battery-powered operation with magnetic wall mount.



### Accompanies You Throughout the Day and Night

The IC-3210W's IR LED has also been upgraded for enhanced night vision up to 3 meters revealing every detail even in darkness. 24/7 remote monitoring your home from anywhere.




### Live and Talk to Your Love Ones

Each IC-3210W is equipped with a speaker and microphone for two-way audio communication with family or employees no matter you are.



### One Gateway Supports Four IC-3210W Cameras

DIY home monitoring system, without installation fees or monthly charges and easy smartphone setup.



## Interface Diagram



## Specifications

IC-3210W Smart Indoor Security Camera

Dimensions	<ul style="list-style-type: none"> <li>77.2mm(H) x 57.15mm(W) x 58.5mm(D)</li> </ul>
Camera	<ul style="list-style-type: none"> <li>Min Illumination: 0.1 Lux</li> <li>Sensor: 1/6.5" CMOS</li> <li>Lens: 2.59mm/F2.8</li> <li>Viewing Angle: 57.6° (D) / 46.1° (H) / 34.6° (V)</li> <li>Night Vision: IR LED * 2, up to 3 meters.</li> </ul>
Connectivity	<ul style="list-style-type: none"> <li>IEEE 802.3/802.3u</li> <li>2.4G FHSS</li> </ul>
Video	<ul style="list-style-type: none"> <li>M-JPEG video compression</li> <li>Max Resolution: 640*480 (M-JPEG), 320*240(QVGA)</li> <li>Frame rate: 30fps(VGA/QVGA)</li> </ul>
Audio	<ul style="list-style-type: none"> <li>Two-way audio</li> <li>Built-in microphone &amp; speaker</li> </ul>
Management	<ul style="list-style-type: none"> <li>EdiLife: free mobile app for iPhone, iPad &amp; Android</li> <li>EdiView Finder: web management interface fro Windows/Mac</li> <li>Firmware upgradable</li> </ul>
Features	<ul style="list-style-type: none"> <li>Sound detection triggers recording to microSD/SDHC card, email and FTP</li> <li>Supports 64G microSD/SDHC card slot for local storage</li> <li>Extend free cloud storage to personal accounts or other 3rd party storage options</li> </ul>
Power	<ul style="list-style-type: none"> <li>Camera: AA battery * 2</li> <li>Wi-Fi Receiver- 12VDC/1A</li> </ul>
Operating Conditions	<ul style="list-style-type: none"> <li>0-40°C</li> </ul>



EdiLife App More Info



\*Actual viewing resolution and frame rate of network cameras depend on connection speed.

\*Maximum performance, actual data rates, and coverage will vary depending on network conditions and environmental factors. Product specifications and design are subject to change without notice.

Copyright © 2016 Edimax Technology Co. Ltd. All rights reserved