Ruijie RG-WLAN Series Access Points AP_RGOS 11.9(6)W2B4

Release Notes

Disclaimer

The products, services, or features you purchase are subject to commercial contracts and terms. Some or all of the products, services or features described in this document may not be within the scope of your purchase or use. Unless otherwise agreed in the contract, Ruijie Networks does not make any express or implied statement or guarantee for the content of this document.

Due to product version upgrades or other reasons, the content of this document will be updated from time to time. Ruijie Networks reserves the right to modify the content of the document without any notice or prompt.

This manual is for reference only. Ruijie Networks endeavors to ensure content accuracy and will not shoulder any responsibility for losses and damages caused due to content omissions, inaccuracies or errors.

Preface

Intended Audience

This document is intended for:

- Network engineers

- Technical support and servicing engineers

- Network administrators

Technical Support

- Ruijie Networks Website: https://www.ruijienetworks.com/

- Technical Support Website: https://ruijienetworks.com/support

- Case Portal: https://caseportal.ruijienetworks.com

- Community: https://community.ruijienetworks.com

- Technical Support Email: service_rj@ruijienetworks.com

- Live Chat: https://www.ruijienetworks.com/rita

Conventions

1. **Conversions**

Convention	Description
Bold font	Commands, command options, and keywords are in **bold** font.
Italic font	Arguments for which you supply values are in *italic* font.
[ ]	Elements in square brackets are optional.
{ x | y | z }	Alternative keywords are grouped in braces and separated by vertical bars.
[x | y | z]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
&<1-n>	The argument before the sign (&) can be input for consecutive 1- n times.
//	Double slashes at the beginning of a line of code indicate a comment line.

2. **Signs**

The signs used in this document are described as follows:

Warning

An alert that calls attention to important rules and information that if not understood or followed can result in data loss or equipment damage.

Caution

An alert that calls attention to essential information that if not understood or followed can result in function failure or performance degradation.

Note

An alert that contains additional or supplementary information that if not understood or followed will not lead to serious consequences.

Specification

An alert that contains a description of product or version support.

3. Notes

This manual introduces the version information, revision history, features, resolved issues, open issues, supported platforms, software upgrading and related documentation.

Contents

1 Version Information

Version Number	**AP_RGOS11.9(6)W2B4**
Version Type	Official version
Applicable Products	APs: RG-AP680-CD(V3) V1.xx RG-AP680-O(V3) V1.xx AC Version: AC_RGOS11.9(6)W1B1 or later Note: The APs can connect to ACs with software version earlier than AC_RGOS11.9(6)W1B1, but the new features in this release are unavailable.
Applicable Clients	Common
Release Type	Official release
Release Date	June 8, 2023
Baseline Version Number	AP_RGOS11.9(6)W2B1
Description	Official release of RG-AP680-CD(V3) V1.xx and RG-AP680-O(V3) V1.xx

2 Feature Description

N/A

3   Resolved Issues

N/A

4　Open Issues

N/A

5 Compatibility Description

5.1 Hardware Support

The following table lists the models and version numbers of hardware supported by the current release.

Model	Hardware Version Number	Description
RG-AP680-CD(V3)	V1.xx	Wireless access point, one 1GE electrical port, one 2.5GE optical port, built-in antennas, 2.4 GHz and 5 GHz dual-radio, 2 x 2 + 2 x 2 spatial streams, compliant with IEEE 802.11a/b/g/n/ac/ax.
RG-AP680-O(V3)	V1.xx	Wireless access point, one 1GE electrical port, one 2.5GE optical port, built-in antennas, 2.4 GHz and 5 GHz dual-radio, 2 x 2 + 2 x 2 spatial streams, compliant with IEEE 802.11a/b/g/n/ac/ax.

6 Upgrade Instructions

6.1 Upgrade Files

File Name	**AP_RGOS11.9(6)W2B4_S2X2-37_10171714_install.bin**
Description	Upgrade package (official version)
Size	26,959,776 bytes
Applicable Product	RG-AP680-CD(V3) V1.xx RG-AP680-O(V3) V1.xx
MD5	58c80cff4239b392b29771013c7aa209
Software Version	AP_RGOS11.9(6)W2B4, Release(10171714)

6.2 Upgrade Requirements

N/A

6.3 Precautions

● Upgrade can be performed on site only after successful experimental verification.

● Please perform a database backup before upgrading the device.

● If a prompt message appears during the upgrade, indicating that restart is not allowed, do not power off the device, reset the system, or plug in/unplug any module.

● During the upgrade and downgrade, pay attention to the prompt messages. If failures occur, please save the log and contact us for technical support.

● After the upgrade and downgrade, run the **show version detail** command to check the current device version. If it is the target version, the upgrade succeeds.

7   Related Documentation

> **ⓘ Note**
>
> The related documents are subject to change or update without prior notification. For details, please log in to the official website of Ruijie Networks: http://www.ruijienetworks.com/.